

## 6200 COMPOSITE STRAIGHT "MINI" DIE GRINDER



- Patented quiet tuned exhaust (82 dBA)
- Superior steel grade internal bearings for longer life
- Feather trigger for better speed control
- Ergonomically designed housing
- Most comfortable trigger in the industry

## 6201 COMPOSITE STRAIGHT DIE GRINDER



- Patented quiet tuned exhaust (82 dBA)
- Superior steel grade internal bearings for longer life
- Feather trigger for better speed control
- Ergonomically designed housing
- Most comfortable trigger in the industry

## 6260 COMPOSITE 1.0 HP STRAIGHT DIE GRINDER



- Full 1.0 HP non-stall motor
- Patented quiet tuned exhaust (82 dBA)
- Superior steel grade internal bearings for longer life
- Feather trigger for better speed control
- Ergonomically designed housing
- Most comfortable trigger in the industry

## SPECIFICATIONS

Model No.	Free Speed (RPM)	Motor (HP)	Collet Size (mm)	Gears	Exhaust	Weight (kg)	Length (in)	Air Cons. (CFM)	Rec. Hose Size (in.)	Air Inlet (in.) BSP	Vibration (m/sec <sup>2</sup> )
6200	20,000	3/8	6	Direct Drive	Rear	0.45	6.5	4	3/8	1/4	2.9
6201	22,000	1/2	6	Direct Drive	Rear	0.64	8.5	6	3/8	1/4	3.1
6260	22,000	1.0	6	Direct Drive	Rear	0.73	9.25	8	3/8	1/4	2.3

## 6285 .75 HP 1/4" COLLET STRAIGHT DIE GRINDER



- Spindle lock feature for easy accessory change
- Erickson® style precision collet
- .75 HP non stall motor
- Composite handle and grip for comfort
- Low noise only 79 dBa
- Low vibration only <2.5>m/sec
- Speed control switch located on top of the grip for added control

## 6290 .75 HP 1/4" COLLET REVERSIBLE STRAIGHT DIE GRINDER



- Spindle lock feature for easy accessory change
- Erickson® style precision collet
- .75 HP non stall motor
- Composite handle and grip for comfort
- Low noise only 79 dBa
- Low vibration only <2.5>m/sec<sup>2</sup>
- Speed control switch located on top of the grip for added control

## 6340 4-1/2" ANGLE GRINDER



- New 1.0 HP motor eliminates "stall" and increases reliability
- Spindle lock for ease of wheel change
- Multi positional rotational guard improves access
- Hi-Low speed adjustment control
- The composite grip and throttle trigger have been ergonomically designed to provide unmatched comfort for the user
- Rotational muffler mounted at rear exhaust

## SPECIFICATIONS

Model No.	Free Speed (RPM)	Motor (HP)	Collet Size (mm)	Gears	Exhaust	Weight (kg)	Length (in.)	Air Cons. (CFM)	Rec. Hose Size (in.)	Air Inlet (in.) BSP	Vibration (m/sec <sup>2</sup> )
6285	20,000	0.75	6	Direct Drive	Rear	0.64	7	4.1	3/8	1/4	2.5
6290	20,000	0.75	6	Direct Drive	Rear	0.73	7	4.1	3/8	1/4	2.5
6340	11,000	1.0	N/A	Spiral Bevel	Rear	1.09	8.75	6	3/8	1/4	1.2

## 6210 COMPOSITE STRAIGHT DIE GRINDER EXTENDED SHANK



- Patented quiet tuned exhaust (82 dBA)
- Superior steel grade internal bearings for longer life
- Feather trigger for better speed control
- Ergonomically designed housing
- Extended head to reach in tight spots
- Most comfortable trigger in the industry

## 6270 1.0 HP EXTENDED STRAIGHT DIE GRINDER



- 1.0 HP non stall motor
- 20,000 RPM
- Patented "Sliencing technology" reduces noise to 89 dBa
- Low vibration only <2.5>m/sec<sup>2</sup>
- Composite grip and throttle trigger for comfort
- 6" Extension to reach tight areas

### SPECIFICATIONS

Model No.	Free Speed (RPM)	Motor (HP)	Collet / Spindle Size (imm)	Gears	Exhaust	Weight (kg)	Length (in.)	Air Cons. (CFM)	Rec. Hose Size (in.)	Air Inlet (in.) BSP	Vibration (m/sec <sup>2</sup> )
6210	22,000	1/2	6	Direct Drive	Rear	1.00	13.5	6	3/8	1/4	3.1
6270	20,000	1.0	6	Direct Drive	Rear	1.18	14.15	4.2	3/8	1/4	2.5

## 6255 COMPOSITE ANGLE DIE GRINDER



- Superior steel grade internal bevel gears for longer life
- Feather trigger for better speed control
- Patented quiet technology (82 dBA)
- Excellent for high speed blending, smoothing, porting and deburring in confined areas
- Ergonomically designed housing
- Most comfortable trigger in the industry

## 6265 1.0 HP ANGLE DIE GRINDER



- 1 HP non stall motor
- 18,000 RPM
- Patented "Silencing technology" reduces noise to 89 dBA
- Low vibration only <2.5>m/sec2
- Composite grip and throttle trigger for comfort
- Precision bevel gears for reliability
- Includes 1 pc each 2" & 3" Roloc® style backing pads

## 6280 .75 HP 1/4" COLLET ANGLE DIE GRINDER



- **Spindle lock feature for easy accessory change**
- Erickson® style precision collet
- .75 HP non stall motor
- Composite handle and grip for comfort
- Low noise only 79 dBA
- Low vibration only <2.5>m/sec2
- Speed control switch located at the top of the grip for added control

## SPECIFICATIONS

Model No.	Free Speed (RPM)	Motor (HP)	Collet Size (mm)	Gears	Exhaust	Weight (kg)	Length (in.)	Air Cons. (CFM)	Rec. Hose Size (in.)	Air Inlet (in.) BSP	Vibration (m/sec <sup>2</sup> )
6255	20,000	1/2	6	Spiral Bevel	Rear	0.54	7.0	6.0	3/8	1/4	2.5
6265	18,000	1.0	6	5:1 Bevel Gears	Rear	0.98	9.5	4.2	3/8	1/4	2.5
6280	18,000	0.75	6	5:1 Bevel Gears	Rear	0.82	7.0	4.1	3/8	1/4	2.5